

MOTHER TINCTURES

THERAPEUTICS and MATERIA MEDICA

Dr Vinay Jain

265

*MOTHER
TINCTURES*



MOTHER TINCTURES
THERAPEUTICS
and
MATERIA MEDICA

Dr. Vinay Jain

BHMS



B. Jain Publishers (P) Ltd.

An ISO 9001 : 2000 Certified Company
USA—EUROPE—INDIA

PREFACE

Mother Tinctures — Therapeutics & Materia Medica has been written with great endeavour and sincerity with the purpose of acquainting homeopathic practitioners with infallible drugs which can be used in tincture form. The book contains the most valuable prescriptions and experiences of the world-renowned homeopathic physicians who have gained laurels by dint of using these Mother Tinctures.

In the hurry and bustle of this age, the physician is not in a position to devote much time to reach the similitum nor he is paid for that. Allopathy-minded patients demand immediate relief of ailments. For this end in view, this book is indeed a marvellous one. Many Mother Tinctures will at once arrest the progress of many diseases and afford instant cure. In some cases where Miasms are in background only palliation can be obtained with the help of mother tinctures. In such cases relief should be given and then attempt should be made for radical cure by application of the most similar drugs of high potency.

The book contains materia medica of large number of mother tinctures, also therapeutics with the directions about dosage and repetition.

Vinay Jain

ABOUT THE AUTHOR



The author Vinay Jain, has passed his BHMS with a good academic record. He is presently appointed as Medical Officer in Rajasthan Vidyapeeth Homeopathic Medical College. The author has gone through lots of books, journals, internet sources in preparation of this book.

CONTENTS

Chapter 1 DISEASES

Abortion	3
Acne	4
Alcoholism	4
Amenorrhea	5
Anemia	5
Aphonia	5
Apoplexy	6
Asthma	6
Beri-beri	7
Bleeding from lungs	7
Cancer	8
Cholera	9
Chorea	10
Colic	10
Collapse	10
Constipation	11
Coryza (Cold)	12
Cough	12
Dandruff	13
Diabetes	13
Diarrhea	13
Diphtheria	14
Dropsy	14
Dysentery	15
Dysmenorrhea	15
Dyspepsia	16
Dysuria	16

Elephantiasis	17
Enlargement of liver	17
Enlargement of spleen	18
Enlargement of uterus	18
Enuresis	19
Epilepsy	19
Epistaxis	20
Exostosis	20
Eye affections	20
Female troubles	20
Flatulency	21
Gall stones and biliary colic	21
Gastric ulcer	22
Glandular affection	22
Goitre	22
Gonorrhoea	23
Hemorrhage	23
Hemorrhagic dysentery	24
Hair complaints	25
Headache	25
Heart affections	26
Hiccough	27
High blood pressure	27
Hydrophobia	27
Hysteria	27
Impotency	28
Indigestion	28
Injury	29
Insanity	29
Insomnia	29
Jaundice	30
Kala azar	30
Labour pain	31
Leprosy	31

Leucorrhœa	32
Liver disorder	32
Male complaints	33
Marasmus	33
Meningitis	34
Mumps	34
Nervous debility	35
Neuralgia	35
Night blindness	35
Obesity, fatness, corpulency	36
Opium poisoning	36
Palpitation of heart	36
Paralysis	37
Piles	37
Pit of pox	38
Prostate gland hypertrophy	38
Pthisis	38
Ptyalism	40
Puerperal fever	40
Renal disorders	40
Rheumatism and gout	41
Snake bite	42
Spasms	42
Spermatorrhœa	42
Suppression of urine	43
Syphilis	43
Tetanus	44
Toothache	44
Tremors	45
Tuberculosis	45
Tumour	45
Typhoid	46
Unconsciousness	46
Urinary complaints	46
Uterine disorders	46

Varicose vein	47
Vomiting	47
Whooping cough	48
Worms	48

Chapter 2

REMEDIES

Abroma augusta	51
Abroma radix	53
Abrotanum	53
Absinthium	54
Acalypha indica	55
Acenasia	56
Achyranthes aspera	56
Aconitum napellus	57
Aconitum radix	58
Adonis vernalis	58
Aegelefolia and Aegele marmelos	59
Aesculus hippocastanum	60
Agaricus muscarius	61
Agave americana	62
Agnilegia	62
Aletris farinosa	63
alfalfa	64
Alnus	65
Aloe	66
Alstonia scholaris	66
Amalaki	67
Ambrosia artemisiaefolia	68
Amygdalus persica	68
Anacardium	69
Andersonia or Amoora rohitaka	69
Apocynum androsemifolium	70

apocynum cannabinum	71
Aqua - Ptychosis	72
Aralia racemosa	72
Aranea diadema	73
Arbutus andrachne	74
Arjun - Terminalia arjuna	74
Arsenicum album	75
Arsenicum bromatum	76
Asai	76
Asarum europaeum	77
Asclepias syriaca	78
Asclepias tuberosa	78
Asoka jonosia	79
Asparagus officinalis	80
Aspidosperma	80
Aswagandha	81
Atista indica or glycosmis pentaphylla	82
Atista radix	83
Aurum muriaticum natronatum	83
Avena sativa	84
Azadirachta indica	85
Bacopa monnieri	86
Baptisia tinctoria	87
Barosma	87
Baryta iodata	88
Belladonna	88
Bellis perennis	89
Berberis aquifolia	90
Berberis vulgaris	90
Beta vulgaris	91
Betonica	92
Blatta orientalis	92
Blumea odorata	93
Boerhavia diffusa	94

Boletus laricis - Polyporus officinalis	95
Brahmi	95
Bryophyllum calycinum	96
Bufo rana	96
Cactus grandifolius	97
Caesalpinia bonducela - Quinia indica - nata	98
Caffeinum	99
Caladium seguinum	99
Calotropis gigantea	100
Calotropis lactum	101
Camphora officinalis	102
Cannabis indica	103
Cannabis sativa	103
Cantharis	104
Carduus marianus	104
Carica Papaya	105
Cascara amarga	106
Cascara sagrada	106
Castanea vesca	107
Castoreum	107
Cataria nepeta	108
Caulophyllum thalictroides	108
Ceanothus americanus	110
Cedron	111
Cenic cio	111
Cephalandra indica	112
Chaparo amargosa	112
Chelidonium majus	113
Chelone glabra	113
Chimaphila umbellata	114
Chininum sulphuricum	115
Chionanthus latifolia	115
Chirata	116
Cholestrinum	117
Chloralum hydratum	117

Chrysophanicum acidum	118
Cimicifuga racemosa	118
Cina	119
Cinnamomum	120
Clematis erecta	120
Clerodendron infortunatum	121
Coca	121
Coffea mocha	122
Coleus aromaticus	122
Condurango	123
Convalaria majalis	124
Cornus alternifolia	124
Cornus circinata	125
Corydalis	125
Crataegus oxyacantha	126
Crocus sativa	127
Croton tiglium	127
Cubeba	128
Cuphea	128
Cynodon dactylon	129
Damiana	130
Desmodium gangeticum	130
Dioscorea villosa	131
Drosera rotundifolia	132
Dulcamara	133
Echinacea angustura	134
Embelia ribes	135
Epigea repens	135
Equisetum hyemale	136
Erechthites hieracifolia	136
Eriodictyon californicum	137
Eryngium aquaticum	137
Esculentine	138
Eucalyptus globulus	139

Eupatorium ayapana	140
Eupatorium perfoliatum	140
Euphorbia pilulifera	141
Euphorbium officinarum	141
Euphrasia	142
Fabiana imbricata	143
Ferrum phosphoricum	143
Ficus indica	144
Ficus religiosa	145
Fluid cerefolius	146
Franciscea uniflora	147
Fraxinus americana	147
Fucus vesiculosus	148
Galium aparine	148
Gaultharia	149
Gelsemium sempervirens	149
Geranium maculatum	150
Glonoinum	151
Grindelia robusta	153
Guaiacum	153
Gymnema sylvestre	154
Gynocardia odorata	155
Hamamelis virginica	155
Helleborus niger	156
Helonias	157
Hemidesmus indica	158
Hoang-nan	158
Holarrhena antidysenterica	159
Hydrangea arborescens	159
Hydrastis canadensis	160
Hydrocotyle asiatica	161
Hydrophila spinosa	162
Hymosa	163
Hypericum perforatum	164

Iberis amara	165
Jaborandi	166
Jacaranda caroba	166
Jatropha curcas	167
Juglans regia	168
Justicia adhatoda	168
Justicia rubrum	169
Kalmegh (Andrographis paniculata)	170
Lappa arctium	170
Lathyrus sativus	171
Laurocerasus	172
Leucas aspera	172
Lobelia inflata	173
Luffa amara or fuetida	174
Luffa bindal	174
Makaradhwaja	175
Malaria officinalis	176
Manganese dioxide	176
Mangifera indica	177
Menispermum canadense	177
Mentha piperita	178
Millefolium	178
Mitchella repens	179
Momordica balsamina	179
Momordica charantia	180
Mullen oil	180
Mutha	181
Myosotis	181
Myrica cerifera	182
Natrium muriaticum	182
Nitri spiritus dulcis	183
Nuphar luteum	183
Nux juglans	184
Nux vomica	184
Nyctanthes abor tristis	185

Ocimum caryophyllatum	185
Ocimum sanctum	186
Oenanthe crocata	187
Oldenlandia herbacea	187
Oleum santali	188
Origanum majorana	188
Ornithogalum umbellatum	189
Ova tosta	189
Pareira brava	190
Pas avena	191
Passiflora compound	191
Passiflora incarnata	192
Phytolacca	193
Pinus silvestris	194
Plantago major	194
Populus candicans	195
Pulsatilla	195
Rauwolfia serpentina	196
Ricinus communis	196
Ruta graveolens	197
Sabal serrulata	197
Salix nigra	198
Sambucus nigra	199
Sanguinaria	199
Santoninum	200
Sarracenia purpurea	200
Scrophularia nodosa	201
Secale cornutum	201
Sedum acre	202
Sempervivum tectorum	202
Senega	203
Senecio aureus	204
Solanum xanthocarpum	204
Spiritus glandium quercus	205

Spongia tosta	205
Sterculia acuminata	206
Stigmata maydis	206
Strophanthus hispidus	207
Strychninum phosphoricum	208
Succus amogara	208
Sulphur	209
Symphoricarpus racemosus	209
Symphytum officinale	210
Syzygium jambolanum	210
Tathelin	211
Terminalia chebula	211
Thlaspi bursa pastoris	212
Thymolum	213
Thyroidinum	213
Tinospora cordifolia	214
Tongo odorata	214
Tribulus terrestris	215
Trichosanthes dioica	215
Trifolium pretense	216
Trifolium repens	217
Trillium pendulum	217
Urtica urens	218
Usnea barbata	218
Uva ursi	219
Valeriana officinalis	219
Verbena	220
Vernonia anthelmintica	221
Vesicaria communis	221
Viburnum opulus	222
Viburnum prunifolium	222
Viscum album	223
Zincum valerianicum	223

REMEDIES

ABROMA AUGUSTA

It is prepared from the leaves of *Ulat kambal*.

Clinical

- Diabetes mellitus.
- Amenorrhoea.
- Dysmenorrhoea

Symptoms

Abroma augusta has gained high reputation in curing wonderfully diabetes mellitus and dysmenorrhoea.

Urinary system

Profuse urination day and night, frequent urination, dryness of mouth and great thirst; desire to drink after urination which relieves thirst; urination leads to exhaustion; fishy odour of the urine; slight sediment;

diabetes mellitus; nocturnal enuresis, burning in urethra; white ulcers in the mouth of prepuce caused by excessive passage of sugar in urine; inability to retain urine.

Female

It is a unique drug in entire materia medica in affecting instant cure and relief in dysmenorrhea. The patient creates panic by her shrieks and shrills due to intolerable pain, the blood is dark and clotted, sometimes yellowish with scanty or profuse menstrual flow. Chlorosis, hysterical spasms, irregular menses and leucorrhoea are the other symptoms associated with dysmenorrhea. There is colicky pain in the lower abdomen 2-3 days before menses, sometimes hysteria is also associated with menstrual disorders.

Dose

In diabetes mellitus administer *Abroma augusta* Q drops, 3 times a day and *Syzygium jambolanum* Q (Jamun) in 5 drops twice daily.

In dysmenorrhea and all complication associated with it give *Abroma augusta* Q 10 drops every hour or oftener according to, the severity of the pain. During paroxysm give *Passiflora incarnata* Q, 60 drops with an ounce of water at bed time to induce sleep.

After the cessation of menstrual period give *Abroma augusta* 1x, 2 drops, *Xanthoxylum americanum* 1x, 2 drops doses and *Asoka jenosia* Q, 5 drops, each twice daily with an ounce of water. Continue this process till the next menstrual period. The treatment should be continued utmost for 3 months according to method directed above.

To ensure radical cure give *Medorrhinum* CM 1 dose every month just after the menstrual period as most of

the cases of dysmenorrhoea are dependent on syphilitic gonorrhoea infection contracted from husband.

ABROMA RADIX

It is prepared from the bark of *Ulat Kambal*.

Clinical

- Female disorders.

Symptoms

Abroma radix is a great uterine tonic and like *Abroma augusta* very efficacious in all complaints especially dysmenorrhoea. It is used in same way as *Abroma augusta* with all its complimentary medicines.

ABROTANUM

Clinical

- Marasmus.
- Peritonitis.

Symptoms

This drug has marvelous cure of consumption (wasting) with peritonitis, emaciation and marasmus from feet upward with constant distention and acidity in abdomen, face shriveled, dry cold and pale with characteristics that the patient loses flesh rapidly while living well with ravenous hunger.

Dose

Give 1x, 2 drops 4 times a day or according to the severity of the case. This drug may be complemented with *Tuberculinum* 1M once in a month.

ABSINTHIUM

Clinical

- Seizures.
- Sleeplessness.

Symptoms

It is a very good medicine in epileptiform seizures. Nervous tremors precede attack. There is sudden and severe giddiness, delirium with hallucination and loss of consciousness. Nervous excitement and sleeplessness.

It is likewise very efficacious in cerebral irritation, hysteria, infantile spasms, chorea, tremors, nervousness, excitement and sleeplessness in childrens.

Vertigo, with tendency to fall backward and spasmodic facial twitching also come within the range of this remedy.

Dose

Give *Absinthium Q*, 2 to 4 drops or 1x, 1 drop during paroxysm every 10 to 15 minutes otherwise 4 times a day.

ACALYPHA INDICA

Clinical

- Bronchietasis.
- Cough.
- Hemoptysis.
- Incipient phthisis.

Symptoms

The drug has gained universal reputation for its wonderful efficacy in instant relief and radical cure in the hemorrhage from lungs.

Acalypha indica is employed in the beginning of the phthisis associated with hard, dry and severe cough followed by bloody expectoration. "Expectoration of pure bright red blood comes on in morning and dark clotted blood in the evening while violent teasing cough at night." There is dullness of chest on percussion and severe pain in chest with progressive emaciation, night sweat and evening rise of temperature. It is indicated in incipient phthisis with hard, racking cough, bloody expectoration, arterial hemorrhage but without febrile disturbances.

Dose

It is used as Q in the beginning 5 drops, 4 times a day in an ounce of water and afterward 1x, 2 drops, 4 times a day.

ACENASIA

Clinical

- Diphtheria.

Symptoms

Great languor, cold perspiration on the whole body, fetid breath, ulcer in pharynx, diphtheria and hemorrhage of dark blood.

Dose

Acenasia in 5-10 drops, every 2 hours. It may be complemented with a dose of *Diphtherinum* 200 in malignant diphtheria.

ACHYRANTHES ASPERA

Clinical

- Diarrhea.
- Dysentery.
- Bad effects of dog and snake bite.

Symptoms

The drug is very effective in acute diarrhea and cholera; watery stool; yellowish and mixed with flakes of mucus profuse in quantity; excessive thirst; pain in the stomach; nausea and vomiting. Pulse is thready.

The skin symptoms includes boils, carbuncles; foul smelling poisonous ulcer etc., red spot in skin, burning pain all over the body.

It is useful in removing bad effects of dog, snake and other animals bite.

ACONITUM NAPELLUS

Clinical

- Rheumatic fever.
- Collapse condition.

Symptoms

This drug is useful in saving lives from inevitable death in the stage of collapse with “coldness of body, face cyanotic and like a corpse, great agony, restlessness, fear of death, weakness of heart with regular beat but imperceptible pulse.”

In fever cold stage more marked, cold sweat and icy coldness of face. Evening chilliness soon after going to bed. Cold waves pass through him. Thirst and restlessness always present. Dry heat with red face. Sweat drenching, on parts lain on; relieving all Symptoms.

Dose

Give 1 drop of *Aconite Q*, with cool water every 15 minutes.

In rheumatic fever when the temperature rises higher than 105°, give *Aconite Q* drop in cool water every 15 minutes and the temperature will soon come down to normal.

ACONITUM RADIX

Clinical

- Diarrhea.
- Tetanic convulsion.

Symptoms

It acts like a magic in “thin watery stools, vomiting of green, black and bilious substance, violent tenesmus and pain in abdomen, retention of urine, coldness and blueness of the whole body, respiration very difficult and cold, vertigo, pulse feeble and imperceptible. In tetanic convulsion there is chilliness, shivering and perspiration.

Dose

Use 1 drop of this remedy in 1x dilution with cool water at interval of every 15 minutes. In case of senselessness or inability to swallow the remedy, let the patient inhale the remedy purely dropped in cotton and it will prove to be great saviour.

In tetanic convulsions give *Aconitum radix* 1x drop with an ounce of cool water every 15 minutes.

ADONIS VERNALIS

Clinical

- Heart disorders.

Symptoms

It acts predominantly on heart when it is affected after rheumatism, influenza or nephritis, where the muscles of

the heart are in the stage of fatty degeneration. It regulates the pulse, increases the contracting power of the heart, with increased urinary secretion.

It is valuable in cardiac dropsy, hydrothorax; ascites and anasarca. Pains wander from place to place. Arrhythmia. It is not cumulative in action. Compensatory hypertrophy of heart in cardiac stenosis and mitral regurgitation.

Dose

Give 5 to 10 drops of the tincture 4 times a day.

AEGELEFOLIA AND AEGELE MARMELOS

(Bel Fruit)

Preparation

Aegele folia is prepared from the Bilwapatra (Bel leaf) while *Aegelemarmelos* from the fruit of Bel.

Clinical

- Dropsy.
- Diarrhea.
- Dysentery.
- Impotency.

Symptoms

Dropsy

This is very efficacious drug in all kinds of local and general dropsy. Dropsy of any part of the body; upper

part of the eyelid swollen; dropsical swelling due to heart diseases. Excellent medicine in beri-beri; ascites with or without fever.

G.I. Symptoms

Indigestion; abdominal colic; piles; constipation. There is no desire for food; anorexia; waterbrash from the mouth; disorder of stomach; flatulency; wind comes out with loud noise, worse in the afternoon; amoebic and bacillary dysentery.

Doses

5 drops of mother tincture of *Aegele folia* should be used in two times a day and this should be alternated with *Boerhavia diffusa* Q, 5 drops, twice daily in dropsies. Person desirous to maintain celibacy with calmness of libido should use 2 drops of *Aegele folia* Q twice daily with an ounce of cool water.

Aegele folia 200 once in a week removes impotency, restores sexual strength and vitality.

Aegele marmelos is efficacious in diarrhea, dysentery where *Mere-cor.* etc. have failed. It should be used in 5 to 20 drops doses in cool water at an interval of 2 to 3 hours according to the severity of the case.

AESCULUS HIPPOCASTANUM

Clinical

- Hemorrhoid.
- Backache.

Symptoms

The action of this drug is most marked on the lower bowel, producing engorged hemorrhoidal veins, with characteristic backache, and absence of actual constipation.

Rectum

Dry, aching. Feels full of small sticks hemorrhoids, with sharp, shooting pains up the back; blind and bleeding; worse during climacteric. Large, hard, dry stools. Mucus membrane seems swollen and obstruct the passage. Burning in anus with chills up and down the back.

Back

Lameness in neck; aching between shoulder blades; region of spine weak; back and legs give out. Backache affecting sacrum and hips. Worse walking or stooping.

Dose

5 to 10 drops three times a day in an ounce of cool water.

AGARICUS MUSCARIUS

Clinical

- Chorea.
- Paralysis.

Symptoms

It is an important remedy for chorea, twitching, tingling of muscles. It corresponds to various form of cerebral excitement rather than congestion.